
**GCSE
COMBINED SCIENCE: TRILOGY
8464/C/2H**

Chemistry Paper 2H

Mark scheme

June 2024

Version: 1.0 Final



Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

No student should be disadvantaged on the basis of their gender identity and/or how they refer to the gender identity of others in their exam responses.

A consistent use of 'they/them' as a singular and pronouns beyond 'she/her' or 'he/him' will be credited in exam responses in line with existing mark scheme criteria.

Further copies of this mark scheme are available from [aqa.org.uk](https://www.aqa.org.uk)

Copyright information

AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Copyright © 2024 AQA and its licensors. All rights reserved.

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the examiner make their judgement
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent (for example, a scientifically correct answer that could not reasonably be expected from a student's knowledge of the specification).

2. Emboldening and underlining

- 2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.
- 2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3 Alternative answers acceptable for a mark are indicated by the use of **or**.
Alternative words in the mark scheme are shown by a solidus eg allow smooth / free movement.
- 2.4 Any wording that is underlined is essential for the marking point to be awarded.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of errors / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution?

[1 mark]

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name **two** magnetic materials.

[2 marks]

Student	Response	Marks awarded
1	iron, steel, tin	1
2	cobalt, nickel, nail*	2

3.2 Use of symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, or uses symbols to denote quantities in a physics equation, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Marks should be awarded for each stage of the calculation completed correctly, as students are instructed to show their working. At any point in a calculation students may omit steps from their working. If a subsequent step is given correctly, the relevant marks may be awarded.

Full marks should be awarded for a correct numerical answer, without any working shown. Full marks are **not** awarded for a correct final answer from incorrect working.

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

An error can be carried forward from one question part to the next and is shown by the abbreviation 'ecf'.

Within an individual question part, an incorrect value in one step of a calculation does not prevent all of the subsequent marks being awarded.

3.6 Phonetic spelling

Marks should be awarded if spelling is not correct but the intention is clear, **unless** there is a possible confusion with another technical term.

3.7 Brackets

(....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Allow

In the mark scheme additional information, 'allow' is used to indicate creditworthy alternative answers.

3.9 Ignore

Ignore is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

3.10 Do not accept

Do **not** accept means that this is a wrong answer which, even if the correct answer is given as well, will still mean that the mark is not awarded.

3.11 Numbered answer lines

Numbered lines on the question paper are intended to support the student to give the correct number of responses. The answer should still be marked as a whole.

4. Level of response marking instructions

Extended response questions are marked on level of response mark schemes.

- Level of response mark schemes are broken down into levels, each of which has a descriptor.
- The descriptor for the level shows the average performance for the level.
- There are two marks in each level.

Before you apply the mark scheme to a student's answer, read through the answer and, if necessary, annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

Step 1: Determine a level

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level.

The descriptor for the level indicates the different qualities that might be seen in the student's answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer. With practice and familiarity you will find that for better answers you will be able to quickly skip through the lower levels of the mark scheme.

When assigning a level you should look at the overall quality of the answer. Do **not** look to penalise small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level.

Use the variability of the response to help decide the mark within the level, ie if the response is predominantly level 2 with a small amount of level 3 material it would be placed in level 2 but be awarded a mark near the top of the level because of the level 3 content.

Step 2: Determine a mark

Once you have assigned a level you need to decide on the mark. The descriptors on how to allocate marks can help with this. The exemplar materials used during standardisation will help. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student's answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner's mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.

Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do not have to cover all of the points mentioned in the indicative content to reach the highest level of the mark scheme.

You should ignore any irrelevant points made. However, full marks can be awarded only if there are no incorrect statements that contradict a correct response.

An answer which contains nothing of relevance to the question must be awarded no marks.

Question 1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	(molecules) made up of carbon and hydrogen (atoms only)		1	AO1 5.7.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.2	$C_{10}H_{22}$		1	AO2 5.7.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.3	(crude oil) is heated (so some of the hydrocarbons) vaporise the column has a temperature gradient (so) the hydrocarbons / fractions condense at different heights / temperatures in the column or (and) the hydrocarbons / fractions condense at their boiling points	allow the column gets cooler going up	1 1 1 1	AO1 5.7.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.4	$C_{14}H_{30} \rightarrow C_8H_{18} + 2C_3H_6$		1	AO2 5.1.1.1 5.7.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.5	add bromine (water) (bromine water) changes (from orange) to colourless	allow (bromine water) decolourises ignore clear MP2 is dependent on MP1 being awarded	1 1	AO1 5.7.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.6	polymer	allow plastic allow hydrocarbon	1	AO1 5.2.1.4 5.7.1.4

Total Question 1	10
------------------	----

Question 2

Question	Answers	Mark	AO / Spec. Ref.
02.1	Level 3: The method would lead to the production of a valid outcome. The key steps are identified and logically sequenced.	5–6	AO3
	Level 2: The method would not necessarily lead to a valid outcome. Most steps are identified, but the method is not fully logically sequenced.	3–4	AO3
	Level 1: The method would not lead to a valid outcome. Some relevant steps are identified, but links are not made clear.	1–2	AO2
	No relevant content	0	
Indicative content <ul style="list-style-type: none"> • measure volume of (hydrochloric) acid • using a measuring cylinder • measure mass of calcium carbonate • using a balance • add (hydrochloric) acid to calcium carbonate in conical flask • put stopper and delivery tube into conical flask • start a timer • record volume of gas collected at set time intervals or time how long it takes for a fixed volume of gas to be collected • repeat using different sized pieces of calcium carbonate • use same mass of calcium carbonate • use same volume of (hydrochloric) acid • use same concentration of (hydrochloric) acid • use same temperature of (hydrochloric) acid • repeat each experiment 			

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.2	(increasing the temperature) increases the rate of reaction		1	AO1 5.6.1.2 5.6.1.3
	(because) particles have more energy	allow (because) particles move faster	1	
	(so) the frequency of collisions increases	allow (so) a greater proportion of collisions have enough energy to react	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.3	(a substance that) increases the rate of reaction and is not used up during the reaction	allow (a catalyst) increases / changes the rate of reaction ignore does not take part in the reaction	1 1	AO1 5.6.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.4	enzymes		1	AO1 5.6.1.4

Total Question 2

12

Question 3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	plankton (died) and were buried (in mud) and were compressed over millions of years	allow (remains of) ancient biomass allow and were buried (by sediments)	1 1 1 1	AO1 5.7.1.1 5.9.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.2	(some) fuels contain sulfur (which) reacts with oxygen to produce sulfur dioxide	allow a named fossil fuel for fuels	1 1	AO2 5.9.3.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.3	acid rain respiratory problems (in humans)	allow a specific effect of acid rain allow named respiratory problem eg asthma	1 1	AO1 5.9.3.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.4	fuels are burnt in insufficient / limited oxygen	allow a named fossil fuel for fuels allow (carbon monoxide is) produced by incomplete combustion	1 1	AO2 5.9.3.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.5	$4\text{CO} + 2\text{NO}_2 \rightarrow \text{N}_2 + 4\text{CO}_2$	allow for 1 mark $\text{CO} + \text{NO}_2 \rightarrow \text{N}_2 + \text{CO}_2$ with no / incorrect balancing numbers	2	AO2 5.1.1.1 5.9.3.1 5.9.3.2

Total Question 3

12

Question 4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	red colour is insoluble (in the solvent) (so) does not move with the solvent		1 1	AO3 5.8.1.3 RPA12

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.2	$0.87 = \frac{6.4}{\text{distance moved by solvent}}$ (distance moved by solvent =) $\frac{6.4}{0.87}$ $= 7.356$ $= 7.4 \text{ (cm)}$	allow a correctly calculated answer to 2 significant figures using the values in the question	1 1 1 1	AO2 5.8.1.3 RPA12

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.3	any one from: <ul style="list-style-type: none"> • (the two dyes) may have the same R_f value (as the blue / yellow colour) • (the two dyes) may have spots in the same place • two of the colours may be insoluble • the other colour may be white 	ignore colourless	1	AO3 5.8.1.3 RPA12

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.4	use a different solvent		1	AO3 5.8.1.3 RPA12

Total Question 4	8
-------------------------	----------

Question 5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1	= 198 kJ/mol		1	AO2 5.6.2.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.2	equilibrium position shifts to the right		1	AO2 5.6.2.5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.3	equilibrium position shifts to the left		1	AO2 5.6.2.7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.4	equilibrium position shifts to the left		1	AO2 5.6.2.6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.5	(effect) (equilibrium position) does not change (reason) increases the rate of the forward reaction and reverse reaction equally		1 1	AO3 5.6.1.4 5.6.2.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.6	<p>210 (s)</p> <p>lines become level / horizontal</p> <p>(because) the rates of the forward reaction and reverse reaction are equal or (because) the number of moles (of all three gases) remain constant</p>	<p>allow a value in the range 205 to 210 (s)</p>	1 1 1	AO3 5.6.2.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.7	<p>tangent drawn at 60 s</p> <p>correct values for y step and x step from tangent</p> <p>(rate =) $\frac{\text{value for } y \text{ step}}{\text{value for } x \text{ step}}$</p> <p>correct calculation of rate (mol/s)</p>	<p>allow correct use of an incorrectly drawn tangent</p> <p>allow a tolerance of $\pm \frac{1}{2}$ a small square for each coordinate</p> <p>allow correct use of incorrectly determined value(s) from the tangent for y step and/or x step</p>	1 1 1 1	AO2 5.6.1.1

Total Question 5	13
------------------	----

Question 6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	large amounts of energy required	ignore references to time and/or cost	1	AO1 5.10.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.2	reverse osmosis using membranes	ignore desalination	1 1	AO1 5.10.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.3	(heat) until the mass is constant to ensure that all the water has evaporated		1 1	AO3 5.10.1.2 RPA13

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.4	(mass =) $\frac{77.8}{100} \times 3.50$ = 2.72 (g)	allow 2.723 (g)	1 1	AO2 5.10.1.2 RPA13

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.5	displacement using (scrap) iron electrolysis		1 1	AO1 5.10.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.6	plants are harvested and burned to produce ash (that contains metal compounds)		1 1 1	AO1 5.10.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.7	$\text{area} = \frac{750}{215}$ $= 3.49 \text{ (hectares)}$ $\text{(conversion} = 3.49 \times 10\ 000 = 34\ 900 \text{ (m}^2\text{) }$ <p>alternative approach</p> $\text{(conversion} = \frac{215}{10000} =)$ $0.0215 \text{ (kg/m}^2\text{) (1)}$ $\text{(area} = \frac{750}{0.0215} \text{ (1)}$ $= 34\ 900 \text{ (m}^2\text{) (1)}$	allow 3.488372093 correctly rounded to at least 2 significant figures allow $3.49 \times 10^4 \text{ (m}^2\text{) }$ allow a correct conversion of an incorrectly determined area allow correct use of an incorrect conversion	1 1 1	AO2 5.10.1.4

Total Question 6

15